



SAMPLING AND ANALYSING OF DISSOLVED OXYGEN IN WATER SAMPLES COLLECTED AT SUNDARAPURAM IN COIMBATORE DISTRICT

Senthil Kumar, K^a and Selvakumar, P^a

^aDepartment of Chemistry, SVS College of Engineering, Coimbatore-642 109, India

*To whom correspondence should be addressed, e-mail: kumarsvs16@gmail.com

Fax: + 91-422-2575020

ABSTRACT

Maintenance of dissolved oxygen at saturated level will help the growth and reproduction of normal population of fish and other aquatic organisms^{1,2}. Due to increase of industries, it is necessary to monitor the DO level of water resources. This will help us to understand the present condition of water at various resources that are connected to the industries. In this study the water is collected from various resources around Sundarapuram in coimbatore district and they were subjected to dissolved oxygen study. The DO results of various samples were compared with DO of demineralised water which is taken as reference. Parameters such as temperature, hardness and aeration time that will affect the saturation level of DO are also discussed^{6,7,8}.

Keywords: Water pollution, Dissolved oxygen, Total Hardness, Aeration, Temperature, Coimbatore pond.

Academic Discipline And Sub-Disciplines

Engineering , Physical sciences

SUBJECT CLASSIFICATION

Chemical Properties

1. INTRODUCTION

Coimbatore city is considered as one of the major cities in Tamilnadu and it is well known for its industrial activities. The Noyyal river originates from the Vellingiri hills of the Western Ghats in Coimbatore and passes through Coimbatore, Erode and Karur districts of Tamilnadu and joins to the river Cauvery at Noyyal village in Karur district. The river has a length of 160 km and it has average width of 25m. Noyyal river and its connected tanks are the main sources of ground water which provide water for all the purposes in Coimbatore region. (Magudeswaran et al., 2005) found that the decrease in various quality characteristics clearly indicates the possibilities of pollution due to industrial activities^{9,10,11,12,13}. The population of Coimbatore has also a strong impact on the Noyyal river with regard to pollution and due to this Noyyal river acts as a carrier for the pollutants. During the non-flow period of the river water can be stagnated and the pollutants may enter into the ground water. So the ground water quality gets depleted^{14,15,16,17}.

Rate of biological oxidation increases with temperature and oxygen demand increases accordingly^{3,4}, where solubility of dissolved oxygen is less. The low solubility of oxygen is the major factor that limits the purification capacity of natural water and necessitates treatment of waste water to remove pollution mater before discharge to receiving streams. Dissolved oxygen is the most important single test that environmental engineers and scientist use in most instance involving the control stream pollution it is desirable to maintain condition favorable for the growth and reproduction of normal population of fish and other aquatic organisms^{18,19,20,21,22}. The factors affecting the amount of dissolved oxygen available in the river, oxygen demanding waste removes dissolved oxygen, photosynthesis adds dissolved oxygen during the day but these plants recover oxygen. In summer rising temperature reduce the solubility of oxygen important limiting factor for aquatic life zones include temporally sunlight, nutrient, availability at dissolved oxygen content^{23,24,25}.

Polluted water has always been a concern for the health of the people .There is seasonal variation of water quality is also noted .In the present situation, it is necessary to evaluate the environmental condition of living area periodically. This helps us to conclude the pollution level of water resources. By keeping in mind of the above facts, we choose sundarapuram in Coimbatore district. The aim of research was to correlate the dissolved oxygen content in water sample collected in sundarapuram in Coimbatore. The Objective is to find the optimum condition to increase the Dissolved Oxygen in various source of fresh water. Because dissolved oxygen is vital factor for aquatic organisms^{26,27,28,29}.

2. MATERIALS AND METHODS

2.1 Study area:

The area under study, Sundarapuram is the basin of river Noyyal which pass through district Coimbatore, Tamilnadu. It is located between latitude 10.9574 N and longitude of 76.9715 E respectively. The people of this area work mainly in agriculture and industries in nearest places. Experimental setup for this investigation is given in the block diagram (fig 2.1).




Fig.2.1. Block diagram of experimental setup for the present investigation.

2.2 Collection of Water samples:

A total of 5 water samples were collected from different water sources which are situated in and around Noyyal river basin and each water sample were sampled for study to analyze dissolved oxygen in the water. Additionally, distilled water is taken as standard to compare DO level. The samples are collected in clean polyethylene bottles and prior to collection, the bottles are rinsed thoroughly with sample water. The water samples are taken through pumping so the samples will be a representative and in order to avoid, only contamination from the surface of river basin^{30,31,32,33,34,35}.

3. EXPERIMENTAL METHODS

The DO content for the collected water sample was tested for total hardness by EDTA method. Then Initial and final DO of the collected water samples were identified by Winkler's method⁵. The collected water samples were aerated for about 5 hrs by standard aerating procedures^{6,37,38,39,40,41,42,43,44,47}.

4. RESULT AND DISCUSSION

The solubility of oxygen in water depend of temperature, hardness and other impurities present in the water .The solubility of oxygen is less in salt containing water than it is in clear water . The dissolved level can be increased in water by aeration^{45,46}. When aeration time increases the DO content also increases in water. The collected water samples were aerated for about 5 hrs. Aeration was done to differentiate the pollution level of collected Water sources. In-between, Increased DO level is estimated for every one hour of aeration in each sample by the iodometric titration^{48,49,50}. The hardness of the samples were estimated to interpret the final DO after aeration. Tested parameters were listed in Table: 1.

Table 1. Parameters of collected water samples used in this study.

S.No.	Resource	Hardness/ppm	Temp/° c	Intial Do	Final Do
1	Well	265	RT	0.33	5
2	Bore well	500	RT	2.32	4.8
3	Pond	128	RT	6	5.9
4	Distilled Water	23.5	35	0.88	1.5
5	DM water	20.8	RT	3.5	9.9
6	River water	15	RT	2.8	7.9

The well and bore well water are underground water source and have high hardness due to dissolved salts .Pond and river are source of rain water and shows less hardness. DM and distilled water are purified water and have very less hardness. These variation are seen in the above Fig 4.1.




Fig.4.1. Hardness of collected Water samples in ppm



The DO content of the collected water samples suggested that the contamination of water samples based on their sources. During the aeration process, we have observed that water containing low dissolved salts will take more DO than water have high dissolved salts and it is also seen in comparison samples of low dissolved salts and de-mineralised water 20.8 ppm in the case of distilled water 23.5 ppm due to high temperature DO level is low after aeration. From this study it is very important to control dissolved salts and temperature at low level to maintain the saturated DO level in water resources.




Fig.4.2. Variation in DO content with respect to aeration time.

Table 2. Variation in DO content with respect to aeration time of collected water samples used in this study.

Aeration Time (Hrs)	DO Content of Collected Water sources (mg/lit) at Room Temperature					Distilled Water DO at 35°C
	Well	DM	Bore Well	River	Pond	
1	1.22	5.5	4.32	4.4	6.8	1
2	1.22	10.5	4.56	8.4	7	1.11
3	1.33	11.2	4.72	8.96	5.92	1.22
4	4.78	9.9	4.8	7.92	5.92	1.44
5	5	9.9	4.8	7.9	5.9	1.5

5. CONCLUSION

Most of the water samples collected in river basin is evident in all physico-chemical parameters examined. In general all the parameters are not within the range of standard values prescribed by various agencies. The water of river is highly contaminated collected at all the stations, during the course of study and it is unfit for consumption, domestic and irrigation purposes. The highest hardness is found in bore well water collected from underground below 800 ft depth, high hardness is due to high dissolved salts, required about 5 hrs of aeration to lower the DO level to 5ppm but in well and pond water hardness is less in 15 ppm river water after aeration of 1 hr DO level is 7.9 ppm which is in the suitable range for survival of aquatic organism in river. In any water the life expectancy will depend on hardness of low level and low temperature particularly, discharging treated industrial waste water in to the water resource. Some steps are needed urgently to improve the quality of river and the present study suggests one of them as optimum aeration required for the discharging waste water. Present dilemma, the study clearly states the need of increasing aeration time and it should be implemented immediately in industries for life's welfare.



6. REFERENCES

1. Chemistry for Environmental Engineering and Science, Clair N.Sawyer, Perry L.McCarty, Gene F. Parkin, Tata Mc Grew Hill Edition.
2. Metcalf and Stapp 1992. Field Manual for water quality Monitoring.
3. Introduction to Environmental Engineering and Science. Gilbert M. Masters Wendell. P. Ela. Pearson Education.
4. Environmental Science, Miller, South Western publishing.
5. Engineering Chemistry, Harish Kumar Chopra, Anupama Parmar, Narosa Publishing house.
6. Textbook of Engineering Chemistry, C.Parameswara, C.V. Agarwal, Andhranaidu.
7. Engineering Chemistry, Daniel Yesudian, Hitech Publishing.
8. Engineering Chemistry, T. Hemalatha, M.Mariappan, R.K. Publisher
9. Environmental Science and Engineering, Anubha Kaushik – CP Kaushik, New Age International publication.
10. Engineering Chemistry, B. Sivashankar, The McGraw Hill Company.
11. Mortimer.C.H 1956, The Oxygen content of Air Saturated fresh water and Aids in calculating percentage saturation, Intern Association.
12. Introduction to Environmental Science Inquiry Raman Sivakumar
13. Dissolved Oxygen water treatment – Lenntech
14. The Skeptical Environmentalist measuring the real state of the world, Bjorn Comborg.
15. United State Geological Survey (USGS), 1998, National Field Manual for the collection of water quality data.
16. Michand.J.P. 1991, A citizen guide to understanding and monitoring lakes and streams. Washington State. Department of Ecology publication, Olympia, W.A. USA.
17. Fisheries and Aquatic Science (SFRC), Pond Management Francis Floyd, Ruth. University of Florida.
18. Centre for Environmental Quality, Environmental Engineering and Earth Science. Wilkes University.
19. Chesapeake Bay program, A watershed patnership.
20. Standard Method for the Examination of Water and waste water. Kentucky water watch.
21. Watershed (water, soil and hydro environmental decision support system).
22. Environmental Science of Engineering, P. Anandan & R.Kumaravelan Scitech Publications (India) Pvt. Ltd.
23. Environmental Chemistry, Dr. Saradha Sinha, Golgotia Publication.
24. Water quality and Dissolved Oxygen Science Junction, NC State University.
25. Hesh J.D, 1985 study and interpretation of the chemicals, characteristics of Natural Water, third edition, U.S. Geological Survey Water, Supply paper 2254.
26. Principles of Environmental Science. Inquiry and Applications. William P. Cunningham, University of Minnesota. Mary Ann Cunningham Vasar College. Tata McGraw Hill Publishing Company Limited.
27. Environmental Science and Engineering, Benny Joseph, Tata McGraw Hill.
28. Environmental Studies from Crisis to cure, R.Rajagopalan.
29. Aqua Plant, Department of Wild Life and Fisheries Science, Texas A & M University.
30. Dissolved Oxygen and Corrosion, Corrosion Engineering Companion, McGraw Hill.
31. Dissolved Oxygen – Water Treatment Solution – Lenntech.
32. Giller Paul.S & Malmquist Bjorn , 1998, The Biology of Stream & River, Oxford University Press.
33. Caduto – Michael J 1990, Pond & Look, University Press New England.
34. The Basic Standard and Methodologies for Surface water , Colorado Department of Public Health and Environment.
35. Jacobson C, 1991 water, water everywhere, second edition produced by Hatch Company.
36. A Citizen Guide to Understanding and Monitoring Lakes and Streams, Department of Ecology, State of Washington.



37. Southern Regional Aquaculture Center Measuring Dissolved Oxygen concentration in Aqua Culture, John A Hargreaves & Craig S.Tucker.
38. Sample Method, Introduction to Environmental Science, second Edition, Mohan, Joseph M.Morgan, Michal D & Wiersma, James H (1980). W.H. Freeman & Company, NewYork.
39. Standard Method of Examination of Water and Wastewater, Amer Publication, Health Association.
40. Moore .M.L.1989 NALMS Management guide for lakes and reservoir North American lakes management society.
41. American Public Health Association 1998, Standard methods for the estimation of water and waste water 20th Edition.
42. Carpenter J.H.(MES) The Chesapeake Bay Institute Technique for the winkler oxygen method Limnol oceanoger.
43. Grasshoff K.Ehrhardf U and kremling (1983) Method of seawater Analysis, Grasshoff Ehrhardf and Kremling education Verlag Chemi GmbH
44. Murrany J.N.Riley J.P.and Wilson T.R.S (1968) the solubility of oxygen in winkler reagent used for the determination of 2 dissolved oxygen.
45. Environmental Chemistry, A.K.DE Newage International Publisher.
46. National Field Manual for the collection of water quality data (TWRI) Book Revised by Michael E. Lewis.
47. Winkler Test for Dissolved Oxygen, Wikiepedia, Encyclopedia.
48. Laringa T & Writer J, 1997 Boulder Greek watershed education, Teacher's Resource Guide City of Boulder Water quality and Environmental Service.
49. Nevada Division of Water Planning Water words Dictionary.
50. United State Environmental Protection Agency (USEPA), Terms and Environment.

Author' biography with Photo

Mr.K.Senthilkumar , Working as a Assistant Professor in the department of chemistry in SVS College Of Enginnering , Coimbatore. He is a Researcher in the field of inorganic chemistry He has 10 years in Industrial and 8 Years of experience in Teaching field.

